



REPUBLIC OF THE PHILIPPINES  
**PRESIDENTIAL COMMUNICATIONS OPERATIONS OFFICE**  
*Tanggapang Pampanguluhan sa Operasyong Pangkomunikasyon*  
Malacañang, Manila

**INVITATION FOR NEGOTIATED PROCUREMENT**  
**Procurement Of IT Equipment And Software Applications**  
(Procurement/Contract No. 2019-PCOO-I-008a)

1. The Presidential Communications Operations Office ("PCOO"), through the General Appropriations Act of 2019<sup>1</sup> intends to apply the sum of PHP 5,632,200.00, being the Approved Budget for the Contract ("ABC") for payments under the contract for the Procurement of IT Equipment and Software Applications under Negotiated Procurement-Two Failed Bidding (Section 53.1, 2016 RIRR). **Bids received in excess of the ABC shall be automatically rejected at opening of the Financial Proposal/s (2nd Envelope/s).**
2. The PCOO Bids and Awards Committee-1 ("Committee") invites technically, legally, and financially PhilGEPS registered suppliers to:
  - a] Negotiate and discuss the Technical and financial requirements and evaluation of eligibility documents of this procurement project during Preliminary Conferences on FEB 17 2020 at **2:00 p.m.** and FEB 20 2020 at **10:00 a.m.** at the **4th Floor, Conference Room, New Executive Building, Malacañang Compound, Manila;**
  - b] To submit to the PCOO BAC Secretariat at the address below, a best offer based on the requisite Eligibility documents (legal and technical) and Financial documents<sup>2</sup> at the address below, on or before FEB 21 2020, **9:00 a.m.** Said requirements shall be submitted to the Secretariat in the following manner:

Each supplier shall submit One (1) original and Four (4) copies of the first and second components of its bid. Bidders are requested to organize and submit their bids as follows: (a) The "legal & technical" documents and "financial" documents shall be placed in ring binders with all sections therein separated by dividers with properly labeled tabs; (b) The "legal & technical" documents ring binder shall be placed and sealed in the first (1st) envelope, while the "financial" documents ring binder shall be placed and sealed in the second (2nd) envelope;

2.1 However, those who were declared eligible bidders in the First (1st) and/or Second (2nd) rounds of competitive bidding for this procurement project, need only submit the following documents:

- ☐ Accomplished Final Schedule of Requirements
- ☐ Accomplished Final Technical Specifications and
- ☐ Such documents needing updating (e.g., there have been changes to said documents, OR said documents have since expired or were found insufficient or defective during the bid opening or evaluation in the 1st or 2nd bidding of the same project).

<sup>1</sup> Pursuant to RA 11464, validity of 2019 GAA is extended until 31 December 2020

<sup>2</sup> **Eligibility Checklist** attached as "**Annex "A"**"

2.2 Bidders will be informed during the preliminary conferences of defects or deficiencies, allowed to complete their submission of eligibility documents, prior to the opening of the financial proposal (second envelope).

3. The Bid must be accompanied by a Bid Securing Declaration<sup>3</sup> in the attached prescribed form, or any form of Bid Security, in an amount not less than the required percentage of the ABC in accordance with the following schedule:

a] The amount of not less than two percent (2%) of the total ABC, if bid security is in cash, cashier's/manager's check payable to the order of the Presidential Communications Operations Office (PCOO), bank draft/guarantee or irrevocable letter of credit; or

b] The amount of not less than five percent (5%) of the total ABC, if bid security is in Surety Bond.

4. The Opening and Evaluation of financial proposals will be conducted on FEB 21 2020, **10:00 a.m.**, at the **4th Floor Conference Room, New Executive Building, Malacañang Compound, Manila**;

4.1 Following the same sequence under public bidding the bidders' eligibility documents (1<sup>st</sup> envelope) will be evaluated using the non-discretionary pass/fail criteria; bidders who passed eligibility during the prior rounds may opt to submit only the documents under paragraph 2.1 herein;

4.2 Thereafter, bidders found eligible will proceed to the second stage for the opening of their financial proposals (second envelope).

5. The **Final Schedule of Requirements** and **Final Technical Specifications** for this procurement project are attached hereto as **Annexes "B"** and **Annex "C"**, respectively;

6. Interested suppliers may obtain further information from the BAC Secretariat at the address given below, during office hours between 8:00 A.M. to 5:00 P.M., excluding holidays.

**Atty. MARK ANTHONY C. DE LEON**

Head, Bids and Awards Committee Secretariat

Presidential Communications Operations Office

Basement Level, New Executive Building Malacañang Complex,

Manila Telefax No.: (+632) 735-6170

E-mail: [pcoo.bac@gmail.com](mailto:pcoo.bac@gmail.com)

Website: <https://pcoo.gov.ph/procurement>

(ORIGINAL SIGNED)

**USec. MARVIN R. GATPAYAT**

Chairperson

Bids and Awards Committee-1

---

<sup>3</sup> **Bid Securing Declaration Form** attached as "**Annex D**"

## CERTIFICATION

The Schedule of Requirements and Technical Specifications are in conformity with the requirements of the end-user unit:

(ORIGINAL SIGNED)  
**EMMANUEL ALVERO**  
*End-User Representative*

This procurement project is covered under the PCOO Annual Procurement Plan:

(ORIGINAL SIGNED)  
**MA. ALMA A. FRANCISCO**  
*Budget Division*



REPUBLIC OF THE PHILIPPINES  
**PRESIDENTIAL COMMUNICATIONS OPERATIONS OFFICE**  
*Tanggapang Pampanguluhan sa Operasyong Pangkomunikasyon*  
Malacañang, Manila

**"ANNEX A"**

**BIDS AND AWARDS COMMITTEE I**

**REF. NO.: BAC1-2020-CL1**

**PROCUREMENT PROJECT:**

Procurement of IT Equipment and Software Applications (Lot 2)

**DATE OF OPENING OF BID/OFFER:**

**NAME OF SUPPLIER:**

**ELIGIBILITY REQUIREMENTS-FIRST ENVELOPE**

		PASS	FAIL	REMARKS
1	<b>PhilGEPS Certificate of Registration and Membership</b> <i>(NOTE: If not available, bidder may submit the Class "A" Legal Documents<sup>1</sup> that the PhilGEPS Platinum Certificate will be submitted prior to award of contract, should the bidder be considered as the SCRB/LCRB after post-qualification. [GPPB Circular 07- 2017])</i>			
	<b>Class "A" Legal Documents:</b>			
2	<b>Registration Certificate</b> (SEC/DTI/CDA)			
3	<b>Mayor's/Business Permit</b> issued by the city or municipality where the principal place of business of the prospective bidder is located; provided that, in case of recently expired Mayor's/Business permit, the bidder may submit the expired permit with the Official Receipt as proof that bidder has applied for renewal within the period prescribed by the concerned local government unit (LGU) provided the renewed permit shall be submitted as a post-qualification requirement. <sup>2</sup>			
4	<b>Tax Clearance</b> per E.O. 398, s. 2005, as finally reviews and approved by the Bureau of Internal Revenue (BIR)			

<sup>1</sup> Sec. 23.1(a), 2016 IRR of RA 9184

<sup>2</sup> Sec. 23.1[ii], 2016 IRR of RA 9184

[Ver.3]



5	<b>Statement of All Ongoing Government and Private Contracts</b> (the bidder must indicate as to the date of delivery, the projected dates provided in their respective contracts.)			
6	<b>Statement of Single Largest Completed Contract Similar to the Contract to be Bid</b> (End-user's acceptance or official receipt(s) or sales invoice for the contract must be attached thereto)			
7	<b>Bidder's Computation of the Net Financial Contracting Capacity</b>			
8	Joint Venture Agreement OR Notarized Statements from All Potential Partners (If Applicable)			
9	<b>Bid Security / Notarized Bid Securing Declaration</b>			
10	Certification by the Insurance Commission (If Bid Security is a Surety Bond)			
11	<b>Statement of Compliance to the Technical Specifications</b>			
12	<b>Omnibus Sworn Statement<sup>3</sup></b>			
13	<b>Authority of Signatory</b> (duly notarized Special Power of Attorney, Board/Partnership Resolution or Secretary's Certificate, whichever is applicable) <sup>4</sup>			

\_\_\_\_\_  
Chairperson

\_\_\_\_\_  
Vice-Chairperson

\_\_\_\_\_  
Member

\_\_\_\_\_  
Member

\_\_\_\_\_  
Member

\_\_\_\_\_  
Member

\_\_\_\_\_  
Member

BIDDER's CONFORME': \_\_\_\_\_

<sup>3</sup> Sec. 25.3[a], 2016 IRR of RA 9184

<sup>4</sup> Supra.



REPUBLIC OF THE PHILIPPINES  
**PRESIDENTIAL COMMUNICATIONS OPERATIONS OFFICE**  
*Tanggapang Pamanguluhan sa Operasyong Pangkomunikasyon*  
Malacañang, Manila

***Statement of ALL Ongoing Government and Private Contracts***  
***(Including Contracts Awarded but not yet Started)***

NAME OF PROJECT :

BIDDER'S COMPANY NAME :

COMPANY ADDRESS :

ITEM NO.	a) Name of Contract b) Date of Contract c) Contract Duration	Owner's Name and Address/Party Contracting with Bidder	Kinds of Goods	a) Amount of Contract b) Value of Outstanding Contracts	Date of Delivery
<b>GOVERNMENT</b>					
	a) b) c)			a) b)	
<b>PRIVATE</b>					
	a) b) c)			a) b)	

**Instructions:**

1. Please indicate the correct and complete information required for each contract.
2. Date of Delivery indicates the projected date/s provided in their respective contracts
3. In case there are no ongoing contracts, pls. put N/A or None.

Submitted by : \_\_\_\_\_  
(Printed Name and Signature)

Designation: \_\_\_\_\_

Date: \_\_\_\_\_



REPUBLIC OF THE PHILIPPINES  
**PRESIDENTIAL COMMUNICATIONS OPERATIONS OFFICE**  
*Tanggapang Pampanguluhan sa Operasyong Pangkomunikasyon*  
Malacañang, Manila

***Statement of the Single Largest Completed Contract***

**NAME OF PROJECT** :

**BIDDER'S COMPANY NAME** :

**COMPANY ADDRESS** :

a.) Name of Contract b.) Date of Contract c.) Contract Duration	Owner's Name and Address/Party Contracting with the Bidder	Kinds of Goods	Amount of Completed Contract	Date of Delivery

Instructions:

1. Please indicate the correct and complete information required for each contract.
2. Attach End-user's Acceptance OR Official Receipt(s) OR Sales Invoice issued for the Contract
3. If no completed contract, please put N/A or None.

Submitted by : \_\_\_\_\_  
(Printed Name and Signature)

Designation : \_\_\_\_\_

Date : \_\_\_\_\_



REPUBLIC OF THE PHILIPPINES  
**PRESIDENTIAL COMMUNICATIONS OPERATIONS OFFICE**  
*Tanggapang Pampanguluhan sa Operasyong Pangkomunikasyon*  
Malacañang, Manila

**BIDS AND AWARDS COMMITTEE I**

**REF. NO.: BAC1-2020-CL1**

**PROCUREMENT PROJECT:**

**Procurement of IT Equipment and Software Applications  
(Procurement Contract No. 2019-PCOO-I-008a)**

**DATE OF OPENING OF BID/OFFER :**

**NAME OF SUPPLIER:**

**ELIGIBILITY CHECKLIST: SECOND ENVELOPE**

		PASS	FAIL	REMARKS
1	Financial Bid Form (including Schedule of Prices) <sup>5</sup>			

\_\_\_\_\_  
*Chairperson*

\_\_\_\_\_  
*Vice-Chairperson*

\_\_\_\_\_  
*Member*

\_\_\_\_\_  
*Member*

\_\_\_\_\_  
*Member*

\_\_\_\_\_  
*Member*

\_\_\_\_\_  
*Member*

[Ver.3]

<sup>5</sup> GPPB prescribed form, Section VIII, Phil. Bidding Documents 5th Ed.



**Annex "B"**

***Section VI. Schedule of Requirements***

Item No.	Description	Quantity	Delivered, Weeks/Months
ONE (1) LOT	SUPPLY AND DELIVERY OF IT EQUIPMENT AND SOFTWARE APPLICATIONS (Lot 2 only)	As specified and described in Section VII. Technical Specifications	Delivered and completely installed not more than Forty- five (45) calendar days from receipt of the Notice to Proceed.

I hereby commit to comply and the deliver all of the above requirements in accordance with the above-stated schedule.

\_\_\_\_\_  
*Name of Company/Bidder*

\_\_\_\_\_  
*Signature over Printed Name of  
Representative*

\_\_\_\_\_  
*Date*

"ANNEX C"

## TECHNICAL SPECIFICATIONS

Bidders must state "Comply" in the column "Statement of Compliance" against each of the individual parameters of each "Specifications."

SOFTWARE APPLICATIONS					
1. Bandwidth Management Appliance					
Minimum Technical Specifications		Qty.	Delivery Time	Payment Mode	Statement of Compliance
Identifying user	Must support user identification base on IP, MAC, and hostname.	1	Delivered and completely installed within forty-five (45) calendar days from receipt of the Notice to Proceed.	One time payment	
User account importing	CSV file user account information import, and support user synchronization with LDAP, database and H3C CAMS Server				
Main authentication	Must support password based, SMS, WeChat, QR code, Facebook, LDAP, RADIUS, Pop3, CAS, H3C CAMS authentication.				
Integration and SSO option	Must support single sign-on authentication base on Active Directory, Radius POP3, Proxy Web Server, HTTPAPI, and Database Server.				
Account attribution	Must support custom account attribution and access control base on account attribution.				
Account binding Access control, Application control	Must support IP, MAC bind with user account.				

	Application Database must support more than 2500 app. Rules. Include cloud, web and mobile application categories and self-define app rules. Database application rule update: < 1 mos.				
URL filter	Must support 10 (ten million) URLs of URL database: Sub-filter categories includes: e.g. pornography, gambling, games and illegal drugs. Must support self-define URL groups. Must support websites filter base on URL, keyword search and file types. Support URL redirect if system blocks illegal URL. Support page customization.				
Enhanced email control	Must support control and audit of email base on source address, destination address, keywords in email, keywords in body/title, and attachment type/size/count. Must support blocking and auditing of Gmail, Yahoo mail, Hotmail via Fox mail, Outlook, and Flash mail client. Must support blocking and auditing of web mail base on sender and receiver information, key word, attachment file type for application such as Exchange and Hotmail.				
Enhanced IM control	Must support comprehensive management and IM tools. (Yahoo, Google-talk, web-MSN, encrypted IM such as Skype, web-WeChat, WeChat, Facebook messenger, Line, Telegram, WhatsApp messenger and QQ).				
Enhanced social media application control	Must support encrypted social media application management (Facebook, Twitter, Instagram, LinkedIn).				

Enhanced Forums Management	Must support forum identification and control e.g. detik.com, compass.com: support content filtering based on key words. Support forums and web sites auditing including records of destination URL, title, content and content search based on key word.				
key words filtering	Must support keywords filtering for search engine (Google, Yahoo, and Bing).				
SSL traffic control	Support SSL protocol application identification and control for Facebook, Twitter, YouTube, Google search, Dropbox, Skype, WeChat, web-WeChat, QQ, Facebook messenger, Line, Telegram, WhatsApp, and HTTPS based website (Desktop/Mobile)				
Proxy control	Must support anti-proxy function: proxy tools control and identification: (free Gate, Ultra surf, Psiphon, TOR, Free VPN, Green VPN, Opera Turbo, Tuna Proxy, Ways online, Zen mate, Ad Net, VPN123, secure vpn.)				
BANDWIDTH MANAGEMENT Dynamic bandwidth management Advanced P2P control	Support dynamic bandwidth management: Average allocation/dynamic allocation in single user traffic pipe. Support accurate identification and management of known variant of encrypted and unknown P2P behaviors. (Xunlei P2P, BT, eMule, Ares, Bit Torrent sync, P2P-NAT, P2P Behavior)				
Report center, Report objects	Support logs search base on time, IP address, end point devices, application flow/action.				



Traffic ranking	Support application traffic ranking, URL category traffic ranking, URL traffic ranking, application duration ranking, URL category traffic ranking, URL traffic ranking, file upload ranking, IM ranking, Email and microblog ranking, term search ranking, and endpoint device ranking.				
Traffic trend	Support application access trend: URL category access trend, TOP talks URL trend, endpoint access trend.				
Real-time report Content log	Support Real-time monitor: CPU/hard disk/ traffic/ connection / session status, online user information, traffic ranking, connection ranking and real-time utilization visibility of bandwidth channels.				
Customizable risk report	Support content logging: IM chat (Gtalk, Skype, QQ, and Yahoo! Messenger); SMTP and Web mail content and attachment (Gmail, Yahoo, Exchange), keyword search (Google, Bing).				
API interface Proxy Tools Block, Multiple Manage Methods	Must support API interface for data export to 3rd party system.				
	Support multiple management of anti-proxy. Identify, warn and block user's login using proxy tools. Ability to block proxy tools download link.				
Multiple proxy tools block	Must support anti-proxy function, support proxy tools block. (FreeGate, Ultrasurf, Psiphon, TOR, FreeVPN, GreenVPN, Opera Turbo, TunaProxy, Waysonline, Zenmate, AdNet, VPN123, secure vpn.) Support proxy				
Blocking Log	tools blocking log.				

Virtualized bandwidth management, Multi-platform Integration	Support separate software/hardware architecture e.g. x86 server				
Hardware Specifications	Device Dimension: At least 2U				
	At least HD Capacity: 1TB				
	Maximum Concurrent Users: 6000 user				
	Power (Watt): 350W				
	Hardware Bypass port (Copper): 3 pairs				
	Ethernet port: 6 (10/100/1000 Base-T)				
	Serial port: RJ45x1				
	USB port: 2				
	Application Layer Throughput: 1.2 Gbps				
	FW Throughput : 2.1Gbps				
External Switch	48 port Gigabit Manageable Switch, Non-POE (separate unit)				
Others	Installation, Configuration and End-user free Training				
Warranty	3 years hardware and subscriptions license, including External Switch				

## 2. Wireless Controller (with 25 Access point Licenses)

Minimum Technical Specifications		Qty.	Delivery time	Payment Mode	Statement of Compliance
Hardware Features	At least 1U rack mountable Easy discovery from PC using UPnP Manage multiple locations Two 1000 Mbps ports for full redundancy Lifetime warranty coverage	1	Delivered and completely installed within forty-five (45) calendar days from receipt of the Notice to Proceed.	One time payment	
Software Features	Central control and configuration of up to 500 APs Support for 1,024 WLANs Integrated DHCP server Easy-to-use setup wizard Ultra-intuitive GUI 1+1 redundancy with auto synchronization Smart Mesh Networking control and monitoring Real-time client admission control, Load-balancing, admission control				

	Customizable dashboard Dynamic RF channel and power mngt. Quality of Service with WLAN prioritization, band steering and airtime fairness WISPr Smart Client Support Band balancing Integrated captive portal Native Active Directory/RADIUS/LDAP support Local authentication database Dynamic VLAN assignment Guest access BYOD, Zero IT, Dynamic generation of unique Pre-Shared Keys Rogue AP detection and graphical map view location services support Hotspot authentication using WISPr				
Licenses	With licensed for 25 Access Points				
Compatibility	Wireless Controller must be compatible with the existing Controller (Zone Director 1200) and Access Point (Ruckus Zoneflex R300 and R310).				
Warranty	1 Year Warranty				
Others	Installation, Configuration & End user free Training				

### 3. Network Video Recorder (NVR) for CCTV Storage

Minimum Technical Specifications		Qty.	Delivery Time	Payment Mode	Statement of Compliance
Video/Audio Input	IP Video Input 64-ch Two-way Audio Input 1-ch, BNC	1	Delivered and completely installed within forty-five (45) calendar days from receipt	One Time Payment	
Network	Incoming Bandwidth 384Mbps Outgoing Bandwidth 384Mbps Remote Users 128				

	Protocols P2P, UPnP, NTP, DHCP, PPPoE		of the Notice to Proceed.		
Video/Audio Output	HDMI/VGA Output VGA: 1920x1080p/60Hz, 1920x1080p/50Hz, 1600x1200 /60Hz, 1280x1024/60Hz, 1280x720 /60Hz, 1024x768/60Hz HDMI1:4K(3840x2160)/30Hz, 1920x1080p /60Hz, 1920x1080p/50Hz, 1600x1200/60Hz,1280x1024 /60Hz 1280x720 /60Hz, 1024x768 /60Hz HDMI2: 4K (3840x2160)/30Hz, 1920x1080p/60Hz, 1920x1080p/50Hz, 1600x1200/60Hz, 1280x1024 /60Hz, 1280x720 /60Hz, 1024x768 /60Hz Recording Resolution 12MP/8MP/6MP/5MP/4MP/3MP /1080p/960p/720p/D1/2CIF/CIF Audio Output 1-ch, BNC Synchronous Playback 16-ch Corridor Mode Screen 3/4/5/7/9/10/12/16/32				
Decoding	Decoding format Ultra 265, H.265, H.264 Live view/Playback 12MP/8MP/6MP/5MP/4MP/3MP/ 1080p/960p/720p/D1/2CIF/CIF Capability 4 x 12MP@20, 4 x 4K@30, 16 x 1080p@30, 36 x 720p@30, 64 x D1				
Hard Disk	10 pcs SATA 10TB HDD SATA 16 SATA interfaces HDD can support up to 10TB for each HDD Esata 1 eSATA interface miniSAS 2 miniSAS ports				
Features	VCA Detection Face detection, Intrusion detection, Cross line detection, Audio detection, Defocus detection, Scene change detection, Auto tracking VCA Search Face				



	search, Behavior search Statistical Analysis People counting				
Disk Array	Can support Array Type RAID 0/1/5/6/10/50/60				
External Interface	Network Interface 4 RJ-45 10M/100M/1000M adaptive Ethernet Interface 2 1000M SFP Ethernet Interface Serial Interface 1 x RS232, 1 x RS485 USB Interface Rear panel: 4 x USB3.0 Alarm In 24-ch Alarm Out 8-ch Decoding Card (optional) 2 slots (4-ch HDMI or 6-ch HDMI outputs per card) Power Output 12V				
Power	Power Supply 100 ~ 240V AC Power Consumption: ≤ 50 W 2 units redundant power supply				
Compatibility	NVR must be compatible with the third-party IP cameras supported  *Existing IP CCTV Cameras and NVR are AVTECH and UNIVIEW brands				
	with ONVIF conformance: Profile S, G, C, Q, A, T				
Others	Installation, Configuration & End user free Training				
Warranty	1 year				

#### 4. Two-Factor Authentication (2FA)

Minimum Technical Specifications		Qty.	Delivery Time	Payment Mode	Statement of Compliance
Compatibility	Word press (at least version 5.x)	1	Delivered and completely installed within forty-five (45) calendar days from receipt of the Notice to Proceed.	One time payment	
User Accounts	At most 50 users				
Multi-Factor Authentication (MFA)	Supported				
Two-Factor Authentication Methods	At least: Universal 2-Factor (U2F) SMS Passcodes Push Notification Phone Callback				

	Security Tokens Bypass Codes				
Features	Works when no cellular coverage				
Device Support	Smartphones, Desktops				
Code Generation Algorithm	Time-based One-Time Passcodes; HMAC-based One-Time Password				

#### 5. Secure Socket Layer (SSL) Certificate

Minimum Technical Specifications		Qty.	Delivery Time	Payment Mode	Statement of Compliance
Validation type (Trust Level) Signature Algorithm Strength Key Encryption Strength Cryptographic Protocol Version Compatibility Underwritten Warranty OTHERS: Certificate Provider Qualifications Vendor Qualifications SSL/Website Security Checker with evaluation reports Inclusive features	Extended Validation At least SHA-256 with ECC option At least 2048-bit At least TLS 1.2 All browsers and devices At least USD 1,500,000 Global Public Certification Authority ●Local technical support team ●Support provision from 9AM to 6PM Monday thru Friday ●Local support availability thru phone and email included ●Clickable Secure Site Seal ●Free Certificate Inventory Tool (CIT) Secure domain.com with and without www	2	Delivered and completely installed within forty-five (45) calendar days from receipt of the Notice to Proceed.	One time payment	

#### 6. Uninterruptible Power Supply (UPS)

Minimum Technical Specifications		Qty.	Delivery Time	Payment Mode	Statement of Compliance
Rating (VA/W)	20kVA/16kW	1	Delivered and completely installed within forty-	One time payment	
Format	Tower				
Electrical Characteristics					
Technology	Online double conversion				

Input voltage	220/230/240V		five (45) calendar days from receipt of the Notice to Proceed.		
Input voltage range without using batteries	176-276V without derating (up to 110-276V with derating)				
Output voltage/THDU	220V/230V/240V $\pm 2\%$ , THDU				
Input frequency range	45Hz-66Hz, 50/60Hz auto selection				
Efficiency	Up to 93% in Online mode, 97% in ECO mode				
Short circuit current	273A				
Overload capacity	105%-110%:5min, 110% 130% : 1min, 130%-150% :				
	10s, >150% : 100ms				
<b>Connections</b>					
<b>Input</b>	Terminal block				
<b>Outputs</b>	Terminal block				
<b>Typical backup times at 50% and 75% load</b>					
9E	15/9				
9E + 1 EBM	27/19				
9E + 4 EBM	82/54				
<b>Communication</b>					
Communication ports	1USB port + 1 RS232 serial port (USB and RS232 ports cannot be used simultaneously)				
Communication slot	1 slot for Network-MS, ModBus-MS or Relay-MS cards				
Software	Intelligent UPS Software				
<b>Operating conditions,</b>					
<b>Standards and Approvals</b>					
Operating temperature	0 to 40°C				
Noise level	<55dB				
Safety	IEC/EN 62040-1				
EMC, Performance	IEC/EN 62040-2				
Approvals)	CE, CB report (TUV)				
<b>Rack</b>					
Managed Rack	Outlet grip plug retention, color-coded outlet sections, branch circuit protection				
Warranty	1 year				

7. Satellite Wifi Hotspot					
Minimum Technical Specifications		Qty	Delivery Time	Payment Mode	Statement of Compliance
Main unit		2	Delivered and completely installed within forty-five (45) calendar days from receipt of the Notice to Proceed.	One time payment	
Geographic Coverage	At least Asia and Europe				
Network	At least 2 Geostationary Satellites				
Firmware Version	At least includes English				
Main power supply adapter (AC Power Range)	Minimum of At least 100V Maximum of At least 240V				
Battery Life - Talk Time	At least up to 3 hours				
Battery Life - Standby Time (With WIFI)	At least up to 9 hours				
Battery Life - Standby Time	At least up to 70 hours				
Services	At least Satellite calls, SMS and data				
Compatibility	At least iOS and Android				
Inclusions	At least SIM, charger, stand, user manual				
Satellite Data Speed	At least up to 60 kbps of Download Speed At least up to 15 kbps of Upload Speed				
Weight	At most 300 grams				
Dimension	At most 169 x 75 x 42 mm				
SOS/Assistance Button	Included (if applicable)				
Warranty / Liability Program	Included (if applicable)				
Warranty	1 year				
Inclusive of SIM with US\$120 preload value valid for 365 days (VAT inclusive)					
Additional load for Data	250 units of additional load	4			





"ANNEX D"

REPUBLIC OF THE PHILIPPINES )  
\_\_\_\_\_) S.S.  
X-----X

**BID-SECURING DECLARATION**

Invitation to Bid No.: [Ref. Number: \_\_\_\_\_]

**To: Presidential Communications Operations Office**

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Section 23.1 (b), 34.2, 40.1 and 69.1, except 69.1 (f), of the IRR of RA 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid-Securing Declaration shall cease to be valid on the following circumstances:
  - (a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - (b) I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right;
  - (c) I am/we are declared as the bidder with the Lowest Calculated and Responsive Bid, and I/we have furnished the performance security and signed the Contract.

**IN WITNESS WHEREOF**, I/We have hereunto set my/our hand/s this  
\_\_\_\_ day of [month] [year] at \_\_\_\_\_.

\_\_\_\_\_  
[NAME OF COMPANY]

BY:

\_\_\_\_\_  
*Name of Bidder's*  
*Authorized Representative*  
*[Insert Signatory's Legal Capacity]*  
Affiant

**SUBSCRIBED AND SWORN** to before me this \_\_\_\_ day of [month] [year] at  
[place of execution], \_\_\_\_\_. Affiant/s is/are personally known to me  
and was/were identified by me through competent evidence of identity.  
Affiant/s exhibited to me his/her [insert type of government identification card  
used], with his/her photograph and signature appearing thereon, with No.  
\_\_\_\_\_ and his/her Community Tax Certificate No. \_\_\_\_\_ issued on \_\_\_\_\_ at  
\_\_\_\_\_.

Witness my hand and seal this \_\_\_\_ day of [month] [year].

**NOTARY PUBLIC**

Serial No. of Commission \_\_\_\_\_  
until \_\_\_\_\_

Roll of Attorneys No. \_\_\_\_\_

PTR No. \_\_, [date issued], [place issued]

IBP No. \_\_, [date issued], [place issued]

Doc. No. \_\_\_\_\_

Page No. \_\_\_\_\_

Book No. \_\_\_\_\_

Series of \_\_\_\_\_